

GROWTH STAGES



SHOOTS OF 5 CM SHOOTS OF 15-20 CM SHOOTS OF 20-30 CM SHOOTS OF 40 CM PRE-FLOWERING FULL FLOWERING BERRIES OF 4-6 MM BERRIES OF 12-14 MM BEGINNING OF VERAISON HARVEST POST-HARVEST

 **Aminoterra**[®]
FOLIAR
BIOSTIMULANT FERTILIZER

	300 - 500 cc / hl or 3 - 5 L / ha (3-4 applications)		300 - 500 cc/hl (1 to 2 applications)
--	---	--	--

 **Aminoterra**[®]
IRRIGATION
BIOSTIMULANT FERTILIZER

	30 - 50 L / ha / season (Apply it weekly from the beginning of the fertigation program)		15 - 30 L / ha
--	--	--	----------------

 **Bioamino-L**[®]
SOIL BIOLOGY ACTIVATOR

	40 - 80 L / ha / season (Apply it weekly from the beginning of the fertigation program until veraison)		15 - 30 L / ha (Distributed on a weekly basis)
--	---	--	---

 **Bioil-S(Enhance)**[®]
NATURAL OIL FOR AGRICULTURAL USE

1 - 1.5 %		0.5%	1 - 1.5 %
-----------	--	------	-----------

PROGRAM TABLE GRAPE

Vitis vinifera